





ONE CLICK BACKLIT LIGHTING DESIGN

## Lumaire Magnetic











Quick and easy print replacement

- Frame thickness of just 15mm (single or double-sided)
- Brightness up to 11000lx on the surface depending on size
- Single or double sided, curved
- Low power consumption
- Wide application posibilities, from interior design to signage
- (OPAL) or clear acrylic 2mm
- Fasy changeable image print

One step, that's what you need to get your Lumaire Magnetic LED panel ready. The product is one of the most popular advertising solutions for a reason. The magnet uside the frame seals the sheets in a second. Unseal them even quicker. Place the suction cup on the surface and replace the backlit (the print image inside the panel) ustantly as many times as you need for your advertising purposes.

SUPPORT 24/7 PROTECTION & WARRANTY





lumaire.eu

#### VARIATIONS

## L. Magnetic one-sided

Lumaire Magnetic with a reflector covering the backlit acrylic panel emits light on the front side of the surface.

## 2. Magnetic two-sided

The diffuser in the magnetic LED panel composition replaces the reflector so the backlit acrylic sheet emits light over its entire surface, both front and back

## 3. Magnetic curved

Lumaire Magnetic LED light panels may be either flat or curved. All designs feature high-quality resolution, homogenous and balanced intensity light The curve depends on the size of the panel.

## 4. Portable stand – large

Choose a portable stand to your Lumaire Magnetic panel. The largest stands start from 100 cm high.

## 5. Portable stand – medium

Medium size stands are up to 100 cm high and 50 cm width. The stand has curved legs.

## 6. Portable stand – small


The smallest portable stands you can pick are up to 50 cm high.



TECHNICAL SPECIFICATIONS

Main material	Led Strip Power	Maximum size	Lifetime	Operating temperature	Color Temperature	
Clear acrylic (PMMA)	15W/M	2800 x 1250 mm	> 50,000 hours	-30°C ~ + 40°C	Н	3000 K 4000 K
					н	5000 K 6500 K
IP RATING	Luminous efficiency	Power supply	Working voltage	Input voltage	н	CCT (Special order)
IP 20	up to 160lm/W	DC 12V / 24V / CC Adaptor	DC 12V / DC 24V / CC	AC 100 ~ 240V 50/60Hz		RGB (Special order)





lumaire.eu


### FIXING SYSTEM

# Mounting example

- 1. Two-point cable fixation
- 2. Pre Drill installation Ø 3,5mm
- 3. Gondola shelving
- 4. Portable stand
- A. \*small– up to 50 cm high
- B. \*medium up to 100 cm high
- C. \*large up to 100 cm high







## lumaire.eu

### PRODUCT STRUCTURE

## Technical & usage

1. Protective acrylic sheet 1.8 mm thick

2. Print - backli

3. Acrylic sheet

4. Difuzer lumaire

5. Lumaire LED tape

6. Magnet

7. Aluminium frame

8. DC cable

9. Brackets

## Protective acrylic sheet

For your convenience, light panel with a protectiv acrilic sheet wich ensures easy prin change in just several minutes

#### Print

Final step of the light panel is to choose, design and manufacture the desirable print you want to light up. Every standard back-lit and rigid print works perfectly with Leddex light panels

### Acrylic sheet

The most important part of the light panel. Acrylic sheet design for even light distribution on the entire surface of the product, leaving no room for hot spots or darker areas you want to light up

### Reflector

A flexible material designed for supreme light reflection and color enhancement, making the most of LED lighting and acrylic sheet


## LED strips

High power LED strips with integrated Intelligent Control (IC) system for ultimate reliability and maximum lighting effect.

## Magnetic frame

To deal with the heat LED bar is generating, high cooling efficiency aluminum frame are used to cool down the LED bar and to ensure optimal operating temperatures and long life span of the product





Magnetic Led panel - SINGLE

Magnetic Led panel - DOUBLE

### LUMAIRE PROFILE

## Lumaire Magnetic frame

### MAGNETIC LED PANEL - DOUBLE

- 1. Aluminium frame
- 2. Lumaire LED tape
- 3. Acrylic sheet
- 4. Difuzer lumaire
- 5. Magnet
- 6. Metal strip
- 7. Protective acrylic sheet 1.8 mm thick
- 8. Brackets

#### MAGNETIC LED PANEL - SINGLE

- 1. Aluminium frame
- 2. Lumaire LED tape
- 3. Acrylic sheet
- 4. Reflector lumaire
- 5. Magnet
- 6. Metal strip
- 7. Protective acrylic sheet\_1,8 mm thick
- 8. Aluminum back plate\_optional
- 9. Brackets \_L shape
- 10. Screw





PRINT - BACKLIT SIZE

## Recommended poster size

Suggested Poster size should be 10mm smaller than external frame

EXTERNAL SIZE	PRINT SIZE	VISIBLE SIZE			
		Standart frame	Narrow frame		
500 × 700	490 x 690	441 × 641	457 x 657		
1000 × 700	990 x 690	941 × 641	957 x 657		
297 x 210 A4	287 x 200	238 x 151	254 x 167		
<b>297 × 420</b> A3	287 x 410	238 x 361	254 x 377		
<b>420 × 594</b> A2	410 x 584	361 x 535	377 x 551		
594 × 841 A1	584 x 831	535 x 782	551 x 798		
<b>841 x 1189</b> A0	831 x 1179	782 x 1130	798 x 1146		
2800 x 1250 Max size	2790 x 1240	2741 x 1191	2757 x 1207		













## Lighting Projects

Drogas use Lumaire Magnetic to illuminate advertising in their stores. The LED light sheets were installed on Gondola shelving.

PRODUCT

Lumaire Magnetic





## Lighting Projects

Camelia drug stores use cable-suspended Lumaire Magnetic for thei window advertising.

#### PRODUCT

Lumaire Magnetic

lumaire.eu















## Lighting Projects

Lumaire Magnetic lights up Benu pharmacy stores in every major city of Lithuania

PRODUCT

Lumaire Magnetic









## Lighting Projects

Lumaire designed LED light sheets illuminate print ads across Optometrija stores.


PRODUCT

Lumaire Magnetic






















We are here to provide you with the service you can trust. Because it's not us but

## Who inspire through light-

CONTACT

Phone

Phone: +370 5 212 7244 Mobile: +370 645 83037 Adroca

Elektrinės str. 8, LT-031 Vilnius, Lithuania Email

Mail 01: info@lumaire.eu Mail 02: guoda@leddex.eu